

Iceland – SD Indicators

Source document: Welfare for the Future - Iceland's National Strategy for Sustainable Development. Statistical Indicators 2006 (2006)

1. Concentration of NO₂, O₃ and SO₂ in the atmosphere in Reykjavik 1994-2000 (µg/m³) (show annual means from a single observing station in Reykjavik, close to the city's main traffic artery.) (p. 9)
2. Concentration of airborne particulate matter in Reykjavik 1995-2002 (µg/m³) (p. 12)
3. Concentration of N and P in selected rivers and lakes (number of rivers and lakes) (p. 16)
4. Confirmed cases of Salmonella and Campylobacter in Iceland 1990-2000 (number of cases) (p. 18)
5. Pesticides above permissible maximum levels, percentage of samples 1991-2000 (percentage of samples (%)) (p. 19)
6. Total number of foreign tourists to Iceland 1990-2000 (number) (p. 22)
7. Total number of overnight stays categorized by region 1998-2001 (number) (p. 23)
8. Finances of the Avalanche Fund 1996-2000 (in million IKR) (p. 25)
9. Total area of wetlands reclaimed 1996-2001 (hectare) (p. 28)
10. Breeding pairs of selected rare bird species (number) (p. 31)
11. Rare and endangered species (number) (p. 29)
12. Total area of wilderness areas and protected areas (square km) (p. 34)
13. Total number of sheep and horses 1980-2001 (number) (p. 42)
14. Total energy use per capita 1990-2000 (MJ) (p. 48)
15. Division of electricity between industry and public use 1990-2000 (GWh) (p. 52)
16. Proportional division of energy 1990-2000 (%) (p. 49)
17. Total amount of waste per capita 1992-2000 (kg) (p. 53)
18. Proportion of waste recycled (including energy recovery), incinerated and put in landfills 1992-2002 (%) (p. 54)
19. Number of locations with open pit burning 1995-2001 (number) (p. 56)
20. Percentage of inhabitants with waste water treatment 1990-2000 (%) (p. 58)
21. Concentration of PCB, mercury and Cs-137 in cod 1994-2000 (Index: 1994 = 100) (p. 61)
22. Total emission of 6 greenhouse gases (including carbon sequestration) 1990-2000 (CO₂ equivalent (Gg)) (p. 62)
23. Variation of mean annual temperature in Stykkishólmur 1900-2000 (°C) (p. 65)
24. Emissions of GHGs divided by origin 1990-2000 (CO₂ equivalent (Gg)) (p. 63)
25. Import of ozone-depleting substances 1986-2000 (ODP - tonne) (p. 68)
26. Import of ozone-depleting refrigerants (onboard vessels) 1990-2001 (tonne) (p. 69)
27. Thickness of the ozone layer over Reykjavik 1980-2000, in comparison to the average thickness of the ozone layer globally (Dobson units) (p. 70)
28. Atmospheric carbon monoxide concentrations near Grensásvegur in Reykjavík (mg/m³) (p. 8)
29. Atmospheric ozone concentrations near Grensásvegur in Reykjavík (µg/m³) (p. 10)
30. Trends in the number of motor vehicles per thousand inhabitants (number of cars per 1000 capita) (p. 13)
31. Choice of modes of transport in several cities (%) (p. 14)
32. Agricultural use of prepared fertiliser (tons of N, P and K) (p. 15)
33. Concentration of nitrates in drinking water (mg/l) (p. 17)

-
34. Trends in dioxin emissions (g I-TEQ) (p. 20)
 35. Trends in PAH emissions (kg) (p. 21)
 36. Park rangers and volunteers working on behalf of the Environment and Food Agency (number of working weeks) (p. 24)
 37. Size of ptarmigan population (population index I(t)) (p. 30)
 38. Trends in size and number of protected areas (in hectares and number) (p. 33)
 39. Cod (thousand tons) (shows the Marine Research Institute's recommendations for catch quota and total allowable catch (TAC) as determined by the government, as well as landings.) (p. 36)
 40. Cod catch per unit effort by fishing gear (p. 37)
 41. Haddock (thousand tons) (p. 38)
 42. Greenland halibut (thousand tons) (p. 39)
 43. Greenland halibut catch per unit effort (p. 40)
 44. Shrimp in shallow waters (thousand tons) (shows the Marine Research Institute's recommendations for catch quota and total allowable catch (TAC) as determined by the government and landings.) (p. 41)
 45. Recorded afforestation 1990-2003 (shows the location of the areas) (p. 43)
 46. Trees planted per year (million trees)(shows the number of trees, in millions, that were planted in Iceland each year during the period 1940-1998.) (p. 44)
 47. Areas protected for revegetation and land reclamation (thousand hectares) (p. 46)
 48. Participation in the project "Farmers revegetate the land" (number) (is a collaborative endeavour of the Soil Conservation Service and Icelandic farmers, with the aim of revegetating home fields. The objective of the project is to support farmers in their land reclamation efforts, to stop erosion, and revegetate the land.) (p. 47)
 49. Use of imported energy by source (petajoule) (total, oil and coal) (p. 50)
 50. Concentration of arsen and lead in Ölfusá river (microgramm/l) (shows the concentration of arsenic and lead in the Ölfusá river near the town of Selfoss.) (p. 59)
 51. Concentration of zinc and cadmium in Ölfusá river (microgram/l) (shows the concentration of zinc and cadmium in the Ölfusá river near the town of Selfoss.) (p. 60)
 52. Carbon dioxide concentrations around Iceland ($\mu\text{mol mol}^{-1}$) (p. 64)
 53. Forecasted temperature developments in Reykjavík ($^{\circ}\text{C}$) (p. 66)
 54. Glacial developments in Iceland (meters) (illustrates the total change in four outlet glaciers over the past decades, measured in metres.) (p. 67)
 55. Stock size Haddock (thousand tons) (p. 38)
 56. Stock size Cod (thousand tons) (p. 36)
-

Total number of indicators: 56

Source document: Welfare for the Future - Iceland's National Strategy for Sustainable Development. Statistical Indicators 2006 (2006); URL: http://www.sd-network.eu/pdf/SDS_docs/docs/Iceland_SDI_2006.pdf

Contact:

Markus Hametner
RIMAS - Research Institute for Managing Sustainability
Vienna University of Economics and Business Administration
Nordbergstr. 15
PO-Box 37
A-1091 Vienna

www: <http://www.sustainability.eu>

email: markus.hametner@wu-wien.ac.at

mobile: +43-650-9234935
phone: +43-1-31336-5135
fax: +43-1-31336-905135